

WINPEPI FINDER

PRESS *Ctrl-F* TO SEARCH.

This is an index to the statistical procedures provided by WINPEPI programs. It may be used to find what program and module should be used, and as an index to the manuals. “**COMPARE2 A, B**”, for example, refers to modules **A** and **B** of **COMPARE2**.

The WINPEPI programs are: **COMPARE2** (comparison of two groups or samples) v. 3.85
DESCRIBE (descriptive epidemiology) v.3.18
ETCETERA (miscellaneous) v.3.26
LOGISTIC (multiple logistic regression) v. 1.54
PAIRSetc (comparison of matched observations) v.3.59
POISSON (Poisson regression analysis) v.1.27
WHATIS (“ready reckoner” utility program) v.4.61

The list includes a few procedures provided only by PEPI DOS programs (shown in *ITALICS*).

Updated Aug. 23, 2016 (version 11.65).

2 x 2 table, **COMPARE2 A, B**
2 x 2 table, case-control study, **COMPARE2 C**
2 x 2 table, for paired data, **PAIRSetc A**
2 x k table, **COMPARE2 F1, ETCETERA G**
2 x k table, ordered categories, **COMPARE2 F2, G, ETCETERA G**
95% limits of agreement, **PAIRSetc D1, D2, D3, L2**

ABC (area between curves), **COMPARE2 F2, G, H1, H2, PAIRSetc D1**
AC1 coefficient, Gwet's, **PAIRSetc A, B**
AC2 coefficient, Gwet's, **PAIRSetc C**
Accuracy coefficient, Lin's, **PAIRSETC D1 D2**
ACE (average causal effect) **LOGISTIC**
Additive effects, **ETCETERA E, H**
Adjusted coefficient of individual equivalence, **PAIRSetc I2**
Adjusted rank correlation test for skewed funnel plot, **COMPARE2 A, B, C, D, I**
Agreement between rankings, **PAIRSetc G3**
Agreement coefficient A, **PAIRSetc G3**
Agreement, chance-corrected measures, **DESCRIBE L1, PAIRSetc A**
Alpha (Cronbach's reliability-consistency coefficient), **ETCETERA D**
Analysis of covariance, **ETCETERA N**
Analysis of covariance, for comparing changes in two groups, **PAIRSetc D1, D2**
Analysis of simple effects, **ETCETERA N**
Annual rate of increase or decrease, **DESCRIBE B**
ANOVA (analysis of variance), **COMPARE2 E, ETCETERA J N, PAIRSetc D1, H, I1, I2, L2**
Area between curves (ABC), **COMPARE2 F2, G, H1, H2, PAIRSetc D1**
Area under ROC curve (C-statistic), **DESCRIBE L1, L4, L5**
ATE (average treatment effect) **LOGISTIC**
Attributable fraction, **COMPARE2 B, C, D, G, PAIRSetc A**
Average causal effect (ACE) **LOGISTIC**
Average treatment effect (ATE) **LOGISTIC**

B
BAK (bias-adjusted kappa, **PAIRSetc A, B**
Balanced randomization **ETCETERA A3, A4, A5**
Bartholomew's test for trend, **DESCRIBE B**
Bartlett's test for comparing two variances, **COMPARE2 H2**
Basic reproductive ratio, **DESCRIBE M2**
Bayes factor, based on *P* value, **WHATIS P-value***
Bayes factor, in study of an association, **ETCETERA L**

Bayesian false-discovery probability, **ETCETERA M**
 Bayesian measures of noteworthiness, **ETCETERA L M**
 Bayesian posterior probability of null hypothesis, **WHATIS P-value***
 Before-after study (independent observations), **COMPARE2 A, B, H1, H2, H3**
 Before-after study (paired observations), **PAIRSetc A, B, C, D1, D2, D3**
 Before-after study (using changes in ratings), **COMPARE2 F2, PAIRSetc D1, D2**
 Before-after study (using changes in ratings), sample size, **COMPARE2 S11***
 Benjamini-Hochberg procedure for multiple comparisons, **ETCETERA C**
 Benjamini-Liu procedure for multiple tests, **ETCETERA C**
 Between-subjects factorial, ANOVA, **ETCETERA N**
 BFDP (Bayesian false-discovery probability). **ETCETERA M**
 Bias-adjusted κ , **PAIRSetc A, B, C**
 Bias correction factor, Lin's , **PAIRSETC D1 D2**
 Bilateral data, analysis of comparative studies using, **ETCETERA G**
 Binocular data, analysis of comparative studies using, **ETCETERA G**
 Binocular data, comparison of raters, **PAIRS B**
 Binocular data, comparison of survival times in the two eyes, **PAIRS D4**
 Binocular data, before-after studies, **PAIRS A**
 Binomial goodness-of-fit test (comparison with expected proportion) **DESCRIBE A**
 Binomial success rate, **DESCRIBE C**
 Blocked randomization **ETCETERA A5**
 Birth-cohort effect (using median or mean polish), **ETCETERA H**
 BMI (body mass index, **WHATIS** calculator*)
 Body mass index, **WHATIS** calculator*
 Bonferroni-like (Finner, Haber, Hommel, FDR) corrections, **ETCETERA C**
 Bowker's symmetry test, **PAIRSetc B, C**
 Bowley skewness coefficient, **DESCRIBE D**
 Box-and-whisker diagrams, **DESCRIBE D**
 Bradley-Blackwood test, **PAIRSetc D1, D2**
 Brennan-Prediger G-index, **PAIRSetc A, B**
 Brier skill score (accuracy of prediction by test), **DESCRIBE L1 L2**
 Brier skill score (accuracy of prediction by logistic coefficients), **LOGISTIC**
 Brown-Forsythe test for heterogeneity of variances, **COMPARE2 H2, ETCETERA O**
 Brown-Li pseudo-Bayesian C.I.s for difference between proportions, **COMPARE2 A, B**
 Brunner-Munzel test, **COMPARE2, H1**

C

C-index, **LOGISTIC**
 C-statistic (area under the ROC curve), **DESCRIBE L1, L4, L5**
 Calculator, **WHATIS calculator***
 Capture-recapture method, **DESCRIBE I**
 Case-base study, **COMPARE2 C**
 Case-cohort study, **COMPARE2 C**
 Case-control study, unmatched, **COMPARE2 C, G, LOGISTIC**
 Case-control study, matched, **PAIRSetc A, C, D, E, H, J, L, LOGISTIC**
 Centrifugality , **DESCRIBE D**
 Chance-corrected measures of agreement, **DESCRIBE L1, PAIRSetc A**
 Chance-corrected sensitivity and specificity, **DESCRIBE L1, L2**
 Change-point test, **DESCRIBE D**
 Changes. based on before-after ratings, **COMPARE2 F2, PAIRSetc D1, D2**
 Chi-square goodness-of-fit test, 2 x k table, **DESCRIBE C**
 Chi-square test, 2 x 2 table, **COMPARE2 A, B, C**
 Chi-square test, 2 x k table, **COMPARE2 F1**
 Chi-square test, r x c table, **ETCETERA G**
 Chi-square tests for multiple comparisons in 2 x k table, **COMPARE2 F1**
 Chi-square, partitioning of, in 2 x k table, **COMPARE2 F1**
 Chi-square, partitioning of, in r x c table, **ETCETERA G**
 Chi-square, value corresponding to given P , or vice versa, **WHATIS P-value***
 CIEA, adjusted coefficient of individual equivalence, **PAIRSetc I2**
 Clinical trial, matched controls, **PAIRSetc A, C, D, E, H, J, L, LOGISTIC**
 Clinical trial, unmatched controls, **COMPARE2 B, D, F, H, LOGISTIC, POISSON**
 Clinically important effect, test for, **COMPARE2 A**
 Cluster-randomized trial, sample sizes, **COMPARE2 S1*, S6***

Cluster sample, design effect, [DESCRIBE J](#), [COMPARE2 E](#)
 Cluster sample in prevalence study, [DESCRIBE J1, J2](#)
 Cluster sample, required size, [DESCRIBE K](#)
 Cluster samples, comparison of binary data in, [COMPARE2 E](#), [PAIRSetc A](#)
 Cluster samples, sample sizes for comparison, [COMPARE2 S1*, S6*](#)
 Clustering in space or time, [DESCRIBE C, D2, H](#)
 Clusters of paired numerical observations, [PAIRSetc D1, D3](#)
 Cochran Q test, [PAIRSetc F](#)
 Cochran-Armitage *chi*-square test for trend, [DESCRIBE B](#), [COMPARE2 F2, G](#)
 Coefficient of alienation, [ETCETERA F1](#)
 Coefficient of determination, [ETCETERA F1](#)
 Coefficient of concordance, [PAIRSetc G3](#)
 Coefficient of determination (R^2), [ETCETERA F1 J](#), [PAIRSetc D1](#)
 Coefficient of discrimination (Tjur's), [LOGISTIC](#)
 Coefficient of individual equivalence, [PAIRSetc I2](#)
 Coefficient of nondetermination, [ETCETERA F1](#)
 Coefficients of individual agreement (CIAs), [PAIRSetc I2](#)
 Cohen's *d*, [COMPARE2 H2](#), [PAIRSETC A](#)
 Cohen's effect-size index *w*, [COMPARE2 A B C F1](#), [ETCETERA G](#)
 Cohen's *f*, [ETCETERA, N](#)
 Cohen's *f*-squared, [ETCETERA L](#)
 Cohen's *g*, [PAIRSETC I1](#)
 Cohort effect (using median or mean polish, [ETCETERA H](#)
 Cohort study, unmatched, [COMPARE2 B, D, F, H](#), [LOGISTIC](#), [POISSON](#)
 Cohort study, matched, [PAIRSetc A, C, D, E, H, J, L](#), [LOGISTIC](#)
 Combinations and permutations, [WHATIS calculator*](#)
 Comparison of three or more samples, [PAIRSETC I1](#), [ETCETERA N](#)
 Compatibility of counts, [DESCRIBE D2, D3](#)
 Concordance, [PAIRSetc G3](#)
 Concordance coefficient, Kendall, [PAIRSetc G3, I1](#)
 Concordance correlation coefficient, [PAIRSetc D1, D2, D3](#)
 Concordance index (c-index), [LOGISTIC](#)
 Conditional error probability, [ETCETERA M](#)
 Confidence interval for difference between means, derived from P, [COMPARE2 H2](#)
 Confidence interval (for proportion or ratio) from P, [ETCETERA Q](#)
 Confidence intervals, [WHATIS C.I.*](#); also look up name of measure
 Confidence level for values above/below a given point, [WHATIS C.I.*](#)
 Confounder, unmeasured, controlling for, [ETCETERA K](#)
 Conover squared-rank test for difference between variances, [COMPARE2 H1](#)
 Contingency coefficient, [COMPARE2 F1](#)
 Correlation coefficient between values and ranks in sequence, [DESCRIBE D](#)
 Correlation coefficient, based on Mantel-Haenszel procedure, [MANTELX](#)
 Correlation coefficient, computation, [PAIRSetc D1](#), [COMPARE2 F2](#)
 Correlation coefficient, derived from paired t-test result, [ETCETERA F6](#)
 Correlation coefficient, power and sample size for test, [ETCETERA F5](#)
 Correlation coefficient, test and confidence intervals for, [ETCETERA F1](#)
 Correlation coefficient, intraclass, [COMPARE2 E](#), [PAIRSetc D1, D2, I1, I2, M](#)
 Correlation coefficient, intraclass, in a cluster sample, [DESCRIBE J1, J2](#)
 Correlation coefficient, intraclass, in reliability study, [PAIRSetc I2](#)
 Correlation coefficient, intraclass, sample size, [PAIRSetc S6*](#)
 Correlation coefficient, partial and multiple, [ETCETERA F4 J](#)
 Correlation coefficient, point-biserial, [COMPARE2 H2](#), [PAIRSETC A](#)
 Correlation coefficient, population, [PAIRSetc D1](#)
 Correlation coefficient, "true", [PAIRSETC D1](#)
 Correlation coefficient, tetrachoric, [PAIRSetc A](#)
 Correlation coefficient, tetrachoric, between items in scale, [ETCETERA D](#)
 Correlation coefficients, comparison, [ETCETERA F2, F3](#)
 Correlation coefficients, differences between, C.I.s for, [ETCETERA F2, F3](#)
 Correlation coefficients, pooling, [ETCETERA F2](#)
 Correlations, inter-item and item-total, in scale, [ETCETERA D](#)
 Counts, compatibility of, [DESCRIBE D2, D3](#)
 Counts, homogeneity of, [DESCRIBE D3](#)
 Covariance, analysis of, for comparing changes in two groups, [PAIRSetc D1, D2](#)

CPI (Critical prior interval) Bayesian procedure, **ETCETERA L**
 Cox-Stuart test for trend, **DESCRIBE D**
 Cressie-Read goodness-of-fit test, **DESCRIBE C**
 Critical prior interval Bayesian procedure, **ETCETERA L**
 Critical success index, **PAIRSetc A**
 Cronbach's α (reliability-consistency) coefficient, **ETCETERA D**
 Crossover trial, "yes-no" outcome variable, **PAIRSetc A**
 Crossover trial, numerical outcome variable, **ETCETERA O**
 Crossover trial;; Schoutten-Kester procedure, **PAIRSetc A**
 C-statistic (area under the ROC curve) **DESCRIBE L1, L4, L5**
 Cumulative frequency distribution, confidence interval for, **FIT**
 Cumulative odds ratio, **COMPARE2 F2, G**
 Cumulative rate, computed from age-specific rates, **DESCRIBE G**
 Cumulative survival proportions, **DESCRIBE F, COMPARE2 H3**
 Cumulative survival proportions, directly standardized, **COMPARE2 H3**
 Cusum procedure, **DESCRIBE D1**
 Cut-points for a set of ordinal categories, **COMPARE2 F2 G**
 Cut-points for screening and diagnostic tests, **DESCRIBE L4, L5**

D

D'Agostini-Pearson test for normality, **DESCRIBE D, COMPARE2 H2**
 DALY (disability-adjusted life years), **DESCRIBE F**
 Deciles, **DESCRIBE D**
 Departure from linear trend, **DESCRIBE B, COMPARE2 F2, G**
 Dersimonian-Laird estimates, **COMPARE2 A, B, C, H2**
 Design effect, calculated from intraclass correlation coefficient, **DESCRIBE J5**
 Design effect, after raking, **ETCETERA G2**
 Design factor, after raking, **ETCETERA G2**
 Design effect, of cluster sample, **DESCRIBE J, COMPARE2 E**
 Determination, coefficient of, **PAIRSetc D1**
 Diagnostic odds ratio, **DESCRIBE L1, L2, L3, L4, L5**
 Diagnostic tests, accuracy of, **DESCRIBE L1, L4, L5, PAIRSetc D1, D2, D3**
 Diagnostic tests, appraisal of, **DESCRIBE L1, L4**
 Diagnostic tests, combination of, **DESCRIBE L2**
 Diagnostic tests, comparison of, **DESCRIBE L2, L5**
 Diagnostic tests, meta-analysis, **DESCRIBE L3**
 Difference between means, **COMPARE2 H1, H2**
 Difference between paired values, **PAIRSetc D1, D3**
 Difference between means, confidence interval derived from P , **COMPARE2 H2**
 Difference between paired values, **PAIRSetc D1, D3**
 Difference between proportions or risks, **COMPARE2 A, B, PAIRSetc A**
 Difference in one tail, **COMPARE2 F2**
 Direct standardization, **DESCRIBE G**
 Disability-adjusted life years (DALY), **DESCRIBE F**
 Disability, effect of (DALY and VYPPL), **DESCRIBE F**
 Dispersion, index of, **DESCRIBE D3**
 Disagreement between matched numerical observations, **PAIRSetc D1, D2, D3, I1**
 Disagreement, information-based measure of, **PAIRSetc D1, D2, D3, I1**
 Distinguishability of categories, **PAIRSetc A, B, C**
 Discrimination, Tjur's coefficient of, **LOGISTIC**
 Discriminatory power of logistic model, **LOGISTIC**
 Dissimilarity index, **COMPARE2 F2, G, H1, H2, PAIRSetc D1**
 Donald-Donner procedure for comparing cluster samples, **COMPARE2 E**
 Donner's adjusted chi-square test for bilateral data, **ETCETERA G**
 Doolittle skill score, **PAIRSetc A**
 Dose-response, see Trend
 Dunnett's multiple-test procedure, **ETCETERA F2**
 Dunnett's test for comparisons with a control, **ETCETERA N**

E

ED50 (median effective dose), **DESCRIBE B**
 ED90, **DESCRIBE B**
 Edwards test for seasonal variation, **DESCRIBE E**

Effect-size index, Cohen's w , **COMPARE2 A, B, C, F1, ETCETERA G**
 Effect sizes (standardized differences between means), **COMPARE2 H2 J**
 Effective sample size (N^{\wedge}), **ETCETERA G2**
 Elasticity, **ETCETERA J**
 Entropy, **PAIRS A**
 Epidemic curve, plotting of, using data, **DESCRIBE M1**
 Epidemic curve, plotting of, using models, **DESCRIBE M2**
 Epidemic models (Reed-Frost, SIR, SEIR), **DESCRIBE M2**
 Equitable threat score, **PAIRSetc A**
 Equivalence (overlap between frequencies), **COMPARE2 F2, G, H1, H2 PAIRSetc D1**
 Equivalence test for areas under ROC curve **DESCRIBE L5**
 Equivalence test for two means, **COMPARE2H2, PAIRSetc I1**
 Equivalence test for means, sample sizes for, **COMPARE2 S7*, PAIRSetc S7***
 Equivalence test fort two proportions, **COMPARE2 A, PAIRSetc A**
 Equivalence test for two proportions, sample sizes for, **COMPARE2 S2*, PAIRSetc S3***
 Eta-squared, **COMPARE2 H, ETCETERA N, PAIRSETC I1**
 Exact tests, 2 x 2 table, power of, **COMPARE2 P1*, E**
 Exact tests, **COMPARE2 A, B, C, D, F1, PAIRSetc A**
 Exponential regression, **ETCETERA J**
 Exponentially weighted moving averages, **SMOOTH**
 Expression solver (calculator), **WHATIS calculator***
 Eyes, studies of, see Binocular data

F

F (variance ratio) test, **COMPARE2 H2, PAIRSetc I1**
 F , value corresponding to given P , or vice versa, **WHATIS P-value***
 Factorial ANOVA for a mixed design, **ETCETERA N**
 Factorial-design study, **ETCETERA N**
 Factorials, **WHATIS calculator***
 Fail-safe N , **COMPARE2 A, B, C, D, E, H3, J**
 False discovery rate (FDR procedure for multiple comparisons, **ETCETERA C**
 False negative rate, **DESCRIBE L1**
 False positive rate, **DESCRIBE L1, L2, L3, L4**
 FDR (false discovery rate) procedure for multiple comparisons, **ETCETERA C**
 Finite population correction, **DESCRIBE A, D, K**
 Finner's adjustment for multiple tests, **ETCETERA C**
 Fisher exact tests, see Exact tests
 Fisher's LSD test, **ETCETERA N**
 Fleiss-Everitt test for three ordered categories, **PAIRSetc C**
 Fligner-Policello robust rank test, **COMPARE2 H1**
 Forecasting efficiency, index of, **ETCETERA F1**
 Forest plot, **COMPARE2 J**
 Freedman tests for seasonal variation, **DESCRIBE E**
 Frequency distribution, description of, **DESCRIBE D, COMPARE2 H2**
 Friedman's two-way analysis of variance by ranks, **PAIRSetc I1**
 Funnel plot, skewed, **COMPARE2 A, B, C, D, J**

G

G-computation, **ETCETERA J**
 G-index, Brennan and Prediger's, **PAIRSetc A, B**
G-test for goodness of fit with Poisson distribution, **DESCRIBE D3**
 Gain in certainty after diagnostic test, **DESCRIBE L1**
 Gamma (Goodman and Kruskal), paired data, **PAIRSetc C, D3**
 Gamma (Goodman and Kruskal), unpaired data, **COMPARE2 F2, G, H1, ETCETERA G**
 Gamma index (re-scaled c-index), **LOGISTIC**
 General/Generalized odds ratio, **COMPARE2 F2, G, PAIRSetc C, ETCETERA G**
 General risk difference, **ETCETERA G**
 Geometric mean, **DESCRIBE D1 D2 D3**
 Geometric mean titre, **DESCRIBE D2 D3**
 Geometric means, ratio of, **COMPARE2 H2**
 Gilbert's skill score, **PAIRSetc A**
 Glass's delta, **COMPARE2 H2**
 Gold standard, comparison with, **DESCRIBE L1, PAIRSetc D1, D2, D3**

Goodman and Kruskal's *gamma*, **COMPARE2 F2, G, H1**, **PAIRSetc C, D3**
 Goodman and Kruskal's *tau*, 2 x k table, **COMPARE2 F1**
 Goodman and Kruskal's *tau*, r x c table, **ETCETERA G**
 Goodness of fit with expected distribution, **DESCRIBE C**
 Goodness of fit with Poisson distribution, **DESCRIBE D3**
 Grubbs test for outliers, **DESCRIBE D**
 Guttman scale and coefficients of scalability and reproducibility, **ETCETERA D**
 Gwet's AC1 coefficient, **PAIRSetc A, B**
 Gwet's AC2 coefficient, **PAIRSetc C**

H

Haber continuity correction, **COMPARE2 A, B, C**
 Haldane's large-table *chi*-square test, 2 x k table, **COMPARE2 F1**
 Haldane's large-table *chi*-square test, j x k table, **ETCETERA G**
 Hansen-Kuipers skill score, **PAIRSetc A**
 Harmonic-analysis procedure for appraisal of seasonal variation, **DESCRIBE E**
 Harmonic mean, **DESCRIBE D1**
 Hartley's Fmax test, **ETCETERA N**
 Hazard ratio, **COMPARE2 H3**
 Hazard ratios, comparison of, **COMPARE2 I**
 Hedges' g, **LOGISTIC**
 Hedges's adjusted g, **COMPARE2 H2**
 Heidke skill score, **PAIRSetc A**
 Herd immunity threshold, **DESCRIBE M2**
 Heterogeneity of correlation coefficients, **CORR**
 Heterogeneity of counts, **DESCRIBE D**
 Heterogeneity of season-specific slopes, **DESCRIBE D**
 Heterogeneity of variances, tests for, **ETCETERA N**
 Heterogeneity tests **COMPARE2 A, B, C, F2, G, H1, H2, J**, **PAIRSetc A, C, D1 to D3, E, F, I1, J**
 Heterogeneity, measures of, **COMPARE2 A, B, C, F2, G, H1, H2, J**, **PAIRSetc A, C**
 Hewitt's test for seasonal variation, **DESCRIBE E**
 Hinges of a distribution, **DESCRIBE D2 D3, D4**
 Hodges-Lehmann procedure, **PAIRSetc H, L2**

Hingespread, **DESCRIBE D2, D3, D4**
 Hollander's test for bivariate symmetry, **PAIRSetc D3**
 Holm's adjustment for multiple tests, **ETCETERA C**
 Hommel's adjustment for multiple tests, **ETCETERA C**
 Hosmer-Lemeshow goodness-of-fit test, **LOGISTIC**
 Huber m-estimator, **DESCRIBE D**

I

i coefficient, Peirce's, **PAIRSetc A, B**
 IBMD (information-based measure of disagreement) **PAIRSetc D1, D3, I1**
 Imputation of missing values in 2 x 2 table, **COMPARE2 A**
 Incidence rate, computed from survival data, **DESCRIBE F, COMPARE2 H3**
 Index of dispersion, **DESCRIBE D3**
 Index of forecasting efficiency, **ETCETERA F1**
 Indirect standardization, **DESCRIBE H**
 Information-based measure of disagreement **PAIRSetc D1, D2, D3, I1**
 Interaction terms, in logistic regression, **LOGISTIC**
 Interaction terms, in multiple linear regression, **ETCETERA J**
 Interobserver and intraobserver reliability, **PAIRSetc A2, D1 to D3, I1, I2, I2, M**
 Intraclass correlation coefficient in a cluster sample, **DESCRIBE J1, J2**
 Intraclass correlation coefficients, **COMPARE2 E, PAIRSetc D1, D2, I1, I2, M**
 Intraclass correlation coefficients, in reliability study, **PAIRSetc I2**
 Intraclass correlation coefficient, sample size, **ETCETERA F7, PAIRSetc S6***
 Intraclass odds ratio, **PAIRSetc A**
 Inverse sampling in comparative studies, **COMPARE2 A, B, C, PAIRSetc A**
 Inverse sampling in a descriptive study, **DESCRIBE A**
 Inverse sampling, sample size to find a given number of cases, **DESCRIBE K**

J

Jewell's low-bias estimate of odds ratio, **COMPARE2 A, B, C, PAIRSetc A, E, J**
Jewell's low-bias estimate of ratio of proportions or risks, **COMPARE2 A, B**
Jonckheere-Terpstra test for trend, **ETCETERA N**

K

Kaplan-Meier life table procedure, **DESCRIBE F, COMPARE2 H3**
Kaplan-Meier survival curves, in comparison of survival data, **COMPARE2 H3**
Kappa, **PAIRSetc A, B, C, E, F, G, J, K**
Kappa for binocular data, **PAIRS B**
Kappa, in appraisal of screening or diagnostic test, **DESCRIBE L1**
Kappa, sample size, **PAIRSetc S2***
Kappa, weighted, **PAIRSetc C**
Kappa, weighted, for multiple raters, **PAIRSetc G3**
Kendall concordance coefficient, **PAIRSetc G3, I1**
Kendall correlation coefficient (tau), **ETCETERA G, PAIRSetc C, D3**
Kendall correlation coefficient, partial, **ETCETERA F4.**
Kendall tau between ranks and values of numbers, **DESCRIBE D**
Kendall tau in comparison of 2 samples, **COMPARE2 F2, G, H1, PAIRSetc C, D3**
Kendall tau, partial and multiple, **ETCETERA F4**
Kernel smoothing, **DESCRIBE B**
Kernel smoothing, with log transformation, **SMOOTH**
Killeen's probability of replicability (P-rep), **COMPARE2 H2, PAIRSetc D1**
Knox test for space-time clustering, **DESCRIBE H**
Kolmogorov-Smirnov test for a normal or lognormal distribution, **FIT**
Kolmogorov-Smirnov test for an even distribution, **DESCRIBE D**
Kolmogorov-Smirnov test for discrete data, **DESCRIBE C**
Kolmogorov-Smirnov two-sample test, **COMPARE2 F2, G, H1**
Kosinski's test for comparing predictive values of two tests, **DESCRIBE I2**
KR-20 (Kuder-Richardson formula 20), **ETCETERA D**
Kruskal-Wallis one-way analysis of variance by ranks, **ETCETERA G, N**
Kruskal-Wallis tests for pairwise comparisons, **ETCETERA N**
Kuder-Richardson formula 20, **ETCETERA D**
Kuipers performance index, **PAIRSetc A**
Kullback-Leibler distances, **DESCRIBE L1, L4, L5**
Kurtosis, **DESCRIBE D**

L

Lambda, **COMPARE2 A, B, C**
Lambda, Goodman and Kruskal's, **PAIRSetc A**
LD50 (median lethal dose), **DESCRIBE B**
LD90, **DESCRIBE B**
Level-importance of predictors in multiple regression, **ETCETERA J**
Levene tests for equality of variances, **COMPARE2 H, ETCETERA O**
Life-years lost, **DESCRIBE F**
Likelihood ratios for positive and negative tests, **DESCRIBE L1 to L5**
Likelihood ratios, multilevel, **DESCRIBE L4, L5**
Likelihood ratios, stratum-specific, **DESCRIBE L4, L5**
Lilliefors test for normality, **DESCRIBE D, COMPARE2 H2**
Limits of agreement, 95%, **PAIRSetc D1, D2, D3, L2**
Linear regression, on rank in series, **DESCRIBE D**
Linear regression, multiple, **ETCETERA J**
Linear regression, nonparametric, **ETCETERA J**
Linear regression, simple, **ETCETERA J**
Lin's accuracy coefficient, **PAIRSetc D1 D2**
Lin's bias correction factor, **PAIRSetc D1 D2**
Lin's concordance correlation coefficient, **PAIRSetc D1, D2, D3**
Log-likelihood chi-square test of association, **COMPARE2 A, ETCETERA G**
Logistic transformations. test based on, **COMPARE2 A, B, C**
Loglinear analysis of three-way table, **ETCETERA I**
Lognormal mean, confidence intervals for, **DESCRIBE D**
Log transformation, **DESCRIBE D, COMPARE2 H2, PAIRSetc D2, D3**
Logistic regression analysis, conditional or unconditional, **LOGISTIC**

Logit-rank test for effect of covariate on survival, **SURVIVAL**
Logrank test for comparison of survival, **COMPARE2 H3**
Low-cost optimal allocation, in stratified sample, **DESCRIBE K**

M

Mack-Wolfe umbrella test, **ETCETERA N**
Mann-Kendall test for trend, **DESCRIBE D**
Mann-Whitney test **COMPARE2, H1**
Mann-Whitney test for paired data, **PAIRSetc C**
Mann-Whitney test, power, **COMPARE2 P3*, PAIRSetc P2***
Mann-Whitney test, sample sizes, **COMPARE2 S5*, PAIRSetc S4***
Mantel trend test, **DESCRIBE B**
Mantel-Haenszel test, **COMPARE2 A, B, C, PAIRSetc E, J**
Mantel-Haenszel test, extended, 2 x k table, **COMPARE2 F2, G, H1**
Mantel-Haenszel test, extended, j x k table or numerical data, **MANTELX**
Mantel-Haenszel test, power, **COMPARE2 P2***
Mantel-Haenszel test, sample sizes, **COMPARE2 S3***
Marginal heterogeneity, Stuart-Maxwell test, **PAIRSetc B, C**
McNemar test, **PAIRSetc A, C**
McNemar test, extended, **PAIRSetc B**
McNemar test, power, **PAIRSetc P1***
McNemar test, sample sizes, **PAIRSetc S1***
McNemar test of overall bias or directional change, **PAIRSETC D3**
Mean, confidence interval for, **DESCRIBE D2, WHATIS C.I.**
Mean deviation from mean, **DESCRIBE D**
Mean rank, **COMPARE2 H1**
Mean square successive difference test, **DESCRIBE D**
Mean, comparison with a hypothetical value, **DESCRIBE D**
Mean, confidence interval, **WHATIS C.I.**
Mean, lognormal, confidence intervals for, **DESCRIBE D**
Mean, robust estimators of, **DESCRIBE D**
Mean, trimmed, **DESCRIBE D**
Mean polish of two-way table, **ETCETERA H**
Means, difference between, **COMPARE2 H2, PAIRSetc H, L**
Means, difference between, required sample sizes, **COMPARE2 S6***
Means, equivalence and non-inferiority tests for, **COMPARE2 A**
Means, standardized mean difference between, **COMPARE2 H2**
Means, weighted mean difference between, **COMPARE2 H2**
Means, ratio of, **COMPARE2 H2**
Means, trimmed, comparison of, **COMPARE2 H2**
Measures of impact of exposure, **COMPARE2 B, C, G, PAIRSetc A**
Median absolute deviation from median, **DESCRIBE D**
Median effective dose (ED50), **DESCRIBE B**
Median lethal dose (LD50), **DESCRIBE B**
Median polish of two-way table, **ETCETERA H**
Median rank, **COMPARE2 H1**
Median survival times, ratio of, **COMPARE2 H3**
Median, comparison with a hypothetical value, **DESCRIBE D**
Median, **DESCRIBE D, COMPARE2 H2**
Median test, **COMPARE2 H, ETCETERA N**
Medians, difference between, **COMPARE2 H1**
Meta-analysis, **A, B, C, D, E, F1, F2, G, H1, H2, H3, J, PAIRSetc A, B, C, MANTELX**
Meta-analysis, sensitivity analysis, **COMPARE2 J**
Meta-analysis, of proportions, **COMPARE2 J**
Meta-analysis, studies of screening or diagnostic tests, **DESCRIBE L3**
Meta-analysis, using available summary data, **COMPARE2 J**
Mid-P exact tests, see Exact tests
Minimal posterior probability of null hypothesis, **WHATIS P-value***
Minimization, **ETCETERA A6**
Minimum significant change, **PAIRSetc I2**
Misclassification, effect on appraisal of rate or proportion, **DESCRIBE A**
Misclassification, effect on odds/risk ratio, **COMPARE2 M*, PAIRSetc Mis1*, 2*, 3***
Misdiagnosis percentages, **DESCRIBE L**

Missing values, imputation in 2 x 2 table, **COMPARE2 A**
 Missing values in paired/matched data, **PAIRSetc A, D1**
 Missing values in test of correlation, **PAIRSetc D1**
 Monotonic regression analysis, **PAIRSetc D3**
 Mood's median test, **COMPARE2 H, ETCETERA N**
 Moors kurtosis coefficient, **DESCRIBE D**
 Multiple comparisons, adjustment of *P* values, **ETCETERA C**
 Multiple comparisons in 2 x *k* table, **COMPARE2 F1**
 Multiple comparisons in *r* x *c* table, **ETCETERA G**
 Multiple comparisons of categories, based on odds ratios, **PAIRSetc C**
 Multiple comparisons of dependent sets of dichotomous data, **PAIRSetc F**
 Multiple comparisons of rates or proportions, **DESCRIBE B, PAIRSetc F**
 Multiple comparisons of samples, **ETCETERA N, PAIRSetc I**
 Multiple linear regression, **ETCETERA J**
 Multiple linear regression, sample size, **ETCETERA J,P**
 Multiple regression analysis, level-importance of predictors in, **ETCETERA J**
 Multiple linear regression, sample size for comparing two means, **COMPARE2 S8***
 Multiple logistic regression, conditional or unconditional, **LOGISTIC**
 Multiple logistic regression, sample sizes, **COMPARE2 S4***
 Multiple Poisson regression, **POISSON**
 Multiple-response variables, associations with, **ETCETERA G**
 Multiple significance tests, adjustment of *P* values for, **ETCETERA C**
 Multiplicative effects, **ETCETERA E, H**

N

N^* (effective sample size), **ETCETERA G2**
 Negative predictive value of a test, **DESCRIBE L1, L2**
 Negative predictive values of two tests, comparison, **DESCRIBE L2**
 Neymann allocation, in stratified sample, **DESCRIBE K**
 Nominal-scale dependent variable, **COMPARE2 F, PAIRSetc B**
 Non-inferiority test for two means, sample size for, **COMPARE2 S7***
 Nonparametric regression analysis, **ETCETERA J**
 Normality, tests for, **DESCRIBE D, COMPARE2 H2, PAIRSetc D1 D2**
 Noteworthiness, based on Bayes factors, **ETCETERA L M**
 Number needed to treat/avoid/produce one case, **COMPARE2 B, C, D, H3, PAIRSetc A**
 Number needed to treat, estimated from logistic regression results, **LOGISTIC**

O

OC (overlap coefficient), **COMPARE2 F2, G, H1, H2, PAIRSetc D1, LOGISTIC**
 Odds in favour of a higher value in one group, **COMPARE2 H1**
 Odds ratio, confidence interval, **WHATIS C.I.***
 Odds ratio, confidence interval, calculated from *P*, **ETCETERA Q**
 Odds ratio, cumulative, **COMPARE2 F2, G**
 Odds ratio, calculation of risk ratio from, **COMPARE2 A**
 Odds ratio, derived from mean values, **COMPARE2 H2**
 Odds ratio, diagnostic, **DESCRIBE L1, L2, L3, L4, L5**
 Odds ratio, for matched data, **PAIRSetc A, B, C, E, J**
 Odds ratio, general/generalized, **COMPARE2 F2, G, PAIRSetc C, ETCETERA G**
 Odds ratio, intraclass, **PAIRSetc A**
 Odds ratio, Peto's, **COMPARE2 A, B**
 Odds ratio, in 2 x 2 table, **COMPARE2 A, B, C**
 Odds ratio skill score, **PAIRSetc A**
 Odds ratios, comparison of, **COMPARE2 I**
 Odds ratios, comparisons with reference value, **COMPARE2 J**
 Odds ratios, trend test for, **COMPARE2 A, C**
 Omega-squared, **COMPARE2 H2, ETCETERA N, PAIRSetc I1**
 Omega-squared, partial, **PAIRSetc D1, I1**
 Ordinal-scale dependent variable, **COMPARE2 F, G, PAIRSetc C**
 Ordinal-scale variables, appraisal of association of, **PAIRSetc C, D3**
 Outbreak detection, Shewhart and Csmum procedures, **DESCRIBE D1**
 Outliers, test for, **DESCRIBE D**
 Overall odds ratio, **COMPARE2 A, B, C, E**

Overall's continuity correction, **COMPARE2 A B C**
Overlap (OVL) coefficient, **LOGISTIC, COMPARE2 F2, G, H1, H2 PAIRSetc D1**

P from confidence interval (for proportion or ratio), **ETCETERA Q**
PABAK (prevalence-adjusted bias-adjusted κ), **PAIRSetc A, B, C**
PAF (population attributable fraction), **COMPARE2 B C D**
Page's test for trend, **PAIRSetc F, I1**
Paired data, **PAIRSetc**
Paired data, incomplete, **PAIRSetc A**
Paired survival data, **PAIRSetc D4**
Paired t test, **PAIRSetc D1, D2, D6, H, L**
Paired t test, sample size, **PAIRSetc S5***
PAR (population attributable risk), **COMPARE2 B**
Partitioning of χ^2 in 2 x k table, **COMPARE2 F1**
Partitioning of χ^2 in r x c table, **ETCETERA G**
Peirce's ρ coefficient, **PAIRSetc A**
Peirce's skill score, **PAIRSetc A**
Percentage agreement, **PAIRSetc A, B, C DESCRIBE L1**
Percentage agreement, significance test for, **PAIRSetc A, B, C**
Permutation (randomization) test, **COMPARE2 H1**
Permutation (randomization) test for matched pairs, **PAIRSetc C**
Permutation test for paired replicates, **PAIRSetc D3**
Permutation (randomization) test for paired replicates, **PAIRSetc D3**
Permutations and combinations, **WHATIS calculator***
Person-time, calculation of, **WHATIS timespan***
Person-time rate, confidence interval for, **DESCRIBE A, WHATIS C.I.***
Person-time rates, comparison of, **COMPARE2 D**
Peto odd ratio, **COMPARE2 A, B**
 Φ , 2 x 2 or 2 x k table, **COMPARE2 A, B, C, F1**
 ρ coefficient, Scott's, **PAIRSetc A, B**
Pitman's test for equality of variances, **PAIRSetc D1, D2**
Pococks harmonic analysis procedure, **DESCRIBE E**
Point-biserial correlation coefficient, **COMPARE2 H2**
Point-biserial correlation coefficient, based on 2x2 table, **PAIRSETC A**
Poisson dispersion test, **DESCRIBE D**
Poisson distribution, goodness of fit with, **DESCRIBE C**
Poisson distribution, mean of, **DESCRIBE C**
Poisson distribution, tests for, **DESCRIBE D3**
Poisson parameter, **DESCRIBE D3**
Poisson variable, confidence intervals for, **DESCRIBE A, WHATIS C.I.**
Poisson variable, standard deviation, C.I. for, **DESCRIBE A, WHATIS C.I.**
Poisson regression analysis, **POISSON**
Poisson variate, confidence intervals for, **DESCRIBE H, WHATIS C.I.***
Poisson variates, comparison of two numbers of events, **COMPARE2 D**
Poisson variates, ratio of, confidence interval for, **WHATIS C.I.***
Pooled samples, estimation of prevalence from, **DESCRIBE J4**
Population attributable fraction, **COMPARE2 B C D**
Population attributable risk, **COMPARE2 B**
Population correlation coefficient, **PAIRSETC D1**
Positive predictive value of a test, **DESCRIBE L1, L2**
Positive predictive values of two tests, comparison, **DESCRIBE L2**
Post-test probabilities, **DESCRIBE L1, L2, L4, L5**
Posterior probability of null hypothesis, **WHATIS P-value***
Potential years of life lost (PYLL), **DESCRIBE F**
Power of tests for comparison of independent samples, **COMPARE2 P1* to P4***
Power of tests for comparison of matched samples, **PAIRSetc P1*, P2*, P3***
Power of tests for regression and correlation coefficients, **REGPOWER**
Power, post-hoc, [ostensibly], **COMPARE2 P5**
P-rep (Killeen's probability of replicability), **COMPARE2 H2, PAIRSetc D1**
Predictive summary index, **DESCRIBE L**
Predictive value of test results, **DESCRIBE L1, L2**
Predictive values of two tests, comparison, **DESCRIBE L2**
Predictivity of test results, **DESCRIBE L1, L2**

Predictivity of test results, **DESCRIBE L1 L2**
 Prevalence, confidence interval, **DESCRIBE A, I**
 Prevalence, estimation by capture-recapture method, **DESCRIBE I**
 Prevalence, estimation from cluster or stratified sample, **DESCRIBE J1, J2**
 Prevalence, estimation from pooled samples, **DESCRIBE J4**
 Prevalence, estimation from screening test, **DESCRIBE L1**
 Prevalence, estimation from simple random sample, **DESCRIBE A**
 Prevalence, estimation from stratified sample, **DESCRIBE J3**
 Prevalence, meta-analysis of, **COMPARE2 J**
 Prevalence-adjusted bias-adjusted kappa, **PAIRSetc A, B, C**
 Prevalence ratios, based on logistic regression, **LOGISTIC**
 Prevented or preventable fraction, **COMPARE2 B, C, D, PAIRSetc A**
 Probability of replicability, Killeen's (P-rep), **COMPARE2 H2, PAIRSetc D1**
 Probit analysis, **DESCRIBE B**
 Productivity, years of, lost, **DESCRIBE F**
 Propensity-score analysis **LOGISTIC**
 Proportion, comparison with hypothetical value, **DESCRIBE A, WHATIS C.I.***
 Proportion, confidence interval, **DESCRIBE A, WHATIS C.I.***
 Proportion, confidence interval, calculated from P, **ETCETERA Q**
 Proportion of similar responses (PSR), **COMPARE2 F2, G, H1, H2, PAIRSetc D1**
 Proportional allocation, in stratified sample, **DESCRIBE K**
 Proportions, comparison of three or more, **DESCRIBE B**
 Proportions, comparisons with reference value, **COMPARE2 I**
 Proportions, difference between, **COMPARE2 A, B, PAIRSetc A, WHATIS C.I.***
 Proportions, equivalence and non-inferiority tests for, **COMPARE2 A**
 Proportions, pooling of, **COMPARE2 J**
 Proportions, sequence of, **DESCRIBE B**
 Proportions, weighted mean, **COMPARE2 J**
 Pseudo-Bayesian C.I.s for difference between proportions,
 PSR (proportion of similar responses), **COMPARE2 F2, G, H1, H2 PAIRSetc D1**
 P-value for given chi-square, t, Z, or F, or vice versa, **WHATIS P-value***
 P-value, overall (pooled), **COMPARE2 J**
 P-values, adjustment for multiple tests, **ETCETERA C**
 P-values, calibration as minimal posterior probabilities, **WHATIS P-value***
 PYLL (potential years of life lost), **DESCRIBE F**

Q

Qstar (Q*), **DESCRIBE L3**
 Quade's two-way analysis of variance by ranks, **PAIRSetc I1**
 Quantiles (quartiles, quintiles, octiles, deciles), **DESCRIBE D**

R

r x c table, **ETCETERA G, H**
 r x c table with multiple-category variable(s), **ETCETERA G**
 r x c x t table, **ETCETERA I**
 R^2 , **ETCETERA J**
 Raking (sample balancing), **ETCETERA G2**
 Randles-Fligner-Policello-Wolfe test, **DESCRIBE D2 D3 D4**
 Random deletion of subjects, **ETCETERA N**
 Random decision (tossing a coin), **ETCETERA B7**
 Random distribution, tests for, **DESCRIBE D3**
 Random effects model, **COMPARE2 A, B, C, H2**
 Random numbers (tables), **ETCETERA B6**
 Random sampling, **ETCETERA B1, B2, B3, B4**
 Random sequence, **ETCETERA A7, B5**
 Randomization, **ETCETERA A1, A2, A3, A4, A5**
 Randomization test, **COMPARE2 H1**
 Randomization test for matched pairs, **PAIRSetc C**
 Randomization test for paired replicates, **PAIRSetc D3**
 Randomness, tests for, **DESCRIBE D**
 Rank correlation, **ETCETERA G, PAIRSetc C, D3**
 Rank correlation between ranks and values of numbers, **DESCRIBE D**
 Rank correlation coefficients, partial, **ETCETERA F4**

Rank correlation in comparison of two samples, **PAIRSetc C, D3**
 Rank correlation coefficients, partial and multiple, **ETCETERA F4**
 Rao-Scott procedure for comparing cluster samples, **COMPARE2 E**
 Ratchet circular scan test for seasonal variation, **DESCRIBE E**
 Rate difference, **COMPARE2 D, WHATIS C.I.***
 Rate of homogeneity. in cluster sample, **DESCRIBE J**
 Rate ratio, **COMPARE2 D, WHATIS C.I.***
 Rate ratios, comparison of, **COMPARE2 I**
 Rate, comparison with hypothetical value, **DESCRIBE A**
 Rate, confidence interval, **DESCRIBE A, WHATIS C.I.***
 Rates, comparison of three or more, **DESCRIBE B**
 Rates, comparisons with reference value, **COMPARE2 J**
 Rates, person-time, comparison of, **COMPARE2 D**
 Rates, sequence of, **DESCRIBE B**
 Rates, weighted mean, **COMPARE2 J**
 Ratio of means, **COMPARE2 H2**
 Ratio of paired values, **PAIRSetc D2, D3**
 Ratio of proportions or risks, **COMPARE2 A, B**
 Ratios of counts. sequence of, **DESCRIBE B**
 Recurrence, chances of, **DESCRIBE A**
 Reed-Frost epidemic model, **DESCRIBE M2**
 Regression analysis, linear, **ETCETERA J**
 Regression analysis, Mantel-Haenszel procedure, **MANTELX**
 Regression analysis, monotonic, **PAIRSetc D3**
 Regression analysis, nonparametric, **ETCETERA J**
 Regression analysis, sample size, **ETCETERA P**
 Regression analysis, sequence of rates or proportions, **DESCRIBE B**
 Regression asymmetry test for skewed funnel plot, **COMPARE2 A, B, C, D, J**
 Regression coefficients, comparison of, **ETCETERA J**
 Regression equations, reciprocal/log-root/exponential/power/quadratic, **PAIRS**
 Regression, exponential, **ETCETERA J**
 Regression to the mean, adjustment for, **PAIRSetc D6**
 Regression to the mean, estimated effect of, **PAIRSetc D5**
 Relative difference between proportions, **PAIRSetc A**
 Relative sensitivity of two tests, **DESCRIBE L2 L3**
 Relative specificity and false positive rates of two tests, **DESCRIBE L2 L3**
 Relative survival curve, **LIFETAB**
 Relative treatment effect, **COMPARE2 H1**
 Reliability of numerical observations, **PAIRSetc D1 to D3, I1, I2, M**
 Reliability of raters, comparison of, **PAIRSetc G3, I2**
 Reliability of ratings, using kappa, **PAIRSetc A, B, C, E, F, G, J, K**
 Reliability of scale (α coefficient), **ETCETERA D**
 Reliability coefficients, comparison of, **PAIRSetc I1**
 Repeatability, coefficient of, **PAIRSetc D1, D2, H, I1, I2, M**
 Replicability, Killeen's probability of (P-rep), **COMPARE2 H2, PAIRSetc D1**
 Replicability, odds of, **COMPARE2 H2, PAIRSetc D1**
 Reproducibility, Guttman coefficient of, **ETCETERA D**
 Replicate measurements, **PAIRSetc D1, D2, D3, I1, I2, M**
 Residuals, adjusted (χ^2 -square test), **ETCETERA G**
 Residuals, scattergram, **ETCETERA J**
 Residuals, standardized ($r \times c$ table), **ETCETERA G**
 Residuals, standardized (3 or more categories), **DESCRIBE C**
 Retrospective power analysis [ostensibly], **COMPARE2 P5**
 Ridit analysis, **COMPARE2 F**
 Risk, comparison with hypothetical value, **DESCRIBE A, WHATIS C.I.***
 Risk, computed from age-adjusted (cumulative) rate, **DESCRIBE G**
 Risk, computed from mean value, **COMPARE2 H2**
 Risk, confidence interval, **DESCRIBE A, WHATIS C.I.***
 Risk difference, **COMPARE2 A, B, PAIRSetc A**
 Risk difference, based on cluster samples, **COMPARE2 E**
 Risk difference, estimated from mean values, **COMPARE2 H2**
 Risk difference, estimated from logistic regression results, **LOGISTIC**
 Risk difference, estimated from mean values, **COMPARE2 H2**

Risk difference, general, **ETCETERA G**
 Risk difference, in comparison of survival data, **COMPARE2 H3**
 Risk marker, appraisal of, **DESCRIBE L1**
 Risk ratio, **COMPARE2 A, B**, **PAIRSetc A**, **WHATIS C.I.***
 Risk ratio, based on cluster samples, **COMPARE2 E**
 Risk ratio, confidence interval, calculated from P, **ETCETERA Q**
 Risk ratio, estimated from logistic regression results, **LOGISTIC**
 Risk ratio, estimated from odds ratio, **COMPARE2 A**
 Risk ratio, estimated from mean values, **COMPARE2 H2**
 Risk ratio, in comparison of survival data, **COMPARE2 H3**
 Risk ratios, based on logistic regression, **LOGISTIC**
 Risk ratios, comparison of, **COMPARE2 I**
 Risk ratios, comparisons with reference value, **COMPARE2 J**
 Risk ratios, trend test for, **COMPARE2 B**
 Robust estimators of mean, **DESCRIBE D**
 ROC curve and area under ROC curve, **DESCRIBE L4, L5**
 ROC curve, in meta-analysis of screening or diagnostic tests, **DESCRIBE L3**
 Rosner's test for comparison of paired values, **PAIRSetc H, L**
 Rosner's tests for bilateral data, **bETCETERA G**
 Running medians, **DESCRIBE D**
 Runs tests for randomness, **DESCRIBE D**
 Runs test for serial correlation, **DESCRIBE B**

S

Saha's GEE procedure for C.I.s of mean difference, **COMPARE2 H2**
 Sample, random, selection of, **ETCETERA B1, B2, B3, B4**
 Sample balancing (raking), **ETCETERA G2**
 Sample size, based on prior comparison, **COMPARE2 S12***
 Sample size, for equivalence/non-inferiority/superiority tests, **COMPARE2 S2*, S7***
 Sample size for estimating intraclass correlation coeff. **ETCETERA F7**, **PAIRSetc S6***
 Sample size for descriptive study, **DESCRIBE K**
 Sample size for estimating proportion, rate, or mean, **DESCRIBE K**
 Sample size, for measurement of agreement (kappa), **PAIRSetc S2***
 Sample size for regression and correlation analysis, **ETCETERA J**, **REGPOWER**
 Sample size to find a given number of cases, **DESCRIBE K**
 Sample sizes for comparison of cluster samples, **COMPARE2 S1*, S6***
 Sample sizes for comparison of matched samples, **PAIRSetc S1* to S7***
 Sample sizes for comparison of proportion with a chosen value, **COMPARE2 S1***
 Sample sizes for comparison of two independent samples, **COMPARE2 S1* to S11***
 Sample sizes for equivalence/non-inferiority/superiority trials, **COMPARE2 S7***
 Sample size for regression analysis, **ETCETERA P**
 Sample size for test of correlation coefficient, **ETCETERA F5**
 Sample size for test of super-superiority, **COMPARE2 S1***
 Scalability, coefficient of, **ETCETERA D**
 Scale, internal consistency and discriminatory power of, **ETCETERA D**
 Scheffe test, **ETCETERA N**
 Schoutten-Kester procedure, for crossover study, **PAIRSetc A**
 Scott's π coefficient, **PAIRSetc A, B**
 Screening and diagnostic test, optimal cut-point for, **DESCRIBE L4, L5**
 Screening tests, accuracy of, **DESCRIBE L1, L4, L5**, **PAIRSetc D1, D2, D3**
 Screening tests, appraisal of, **DESCRIBE L1, L4, L5**
 Screening tests, combination of, **DESCRIBE L2**
 Screening tests, comparison of, **DESCRIBE L2, L3, L5**
 Screening tests, meta-analysis, **DESCRIBE L3**
 Seasonal Mann-Kendall test, **DESCRIBE D**
 Seasonal variation, appraisal of, **DESCRIBE E**
 Seasonal variation, control of, **DESCRIBE D**
 Sen estimator of slope, **DESCRIBE D**
 Sensitivities, compared, **DESCRIBE L**
 Specificities, compared, **DESCRIBE L**
 Sensitivity analysis in meta-analysis, **COMPARE2 J**
 Sensitivity of a measure or test, **DESCRIBE L1 to L5**
 Sensitivity, chance-corrected, **DESCRIBE L1, L2**

Sensitivity test in meta-analysis, **COMPARE2 J**
 Sequence of numbers, appraisal of, **DESCRIBE D**
 Sequence of rates or proportions or ratios, appraisal of, **DESCRIBE B**
 Sequential sampling, **DESCRIBE N**
 Serial correlation of residuals, **DESCRIBE B**
 Shannon's index of the diversity of distribution, **COMPARE2 F1**
 Shapiro-Francia W' normality test, **DESCRIBE D2,D3 COMPARE2 H2, PAIRSetc D1 D2**
 Shapiro-Wilk W normality test, **DESCRIBE D2,D3 COMPARE2 H2, PAIRSetc D1 D2**
 Shoemaker's test for comparing two variances, **COMPARE2 H2**
 Sidak adjusted p-value. **COMPARE2 F1, I, ETCETERA G, PAIRSETC F, DESCRIBE C**
 Sign test, for a single distribution, **DESCRIBE C**
 Sign test, for comparing paired data, **PAIRSetc D3**
 Similarity between curves (overlap), **COMPARE2 F2, G, H1, H2, PAIRSetc D1**
 Simple effects, analysis of, **ETCETERA N**
 SIR epidemic model, **DESCRIBE M2**
 Skewed funnel plot, **COMPARE2 A, B, C**
 Skewness, **DESCRIBE D**
 Skewness coefficient g1, **DESCRIBE D2 D3 D4**
 Skill score: Brier skill score, **LOGISTIC, DESCRIBE L1 L2**
 Skill scores, **PAIRSetc A**
 Smoothing of curve, **DESCRIBE D**
 Smoothing of curve, exponentially weighted moving averages, **SMOOTH**
 Smoothing of curve, kernel smoothing, **DESCRIBE B**
 Smoothing of curve, kernel smoothing, with log transformation, **SMOOTH**
 Smoothing of curve, median and quartile paths, **SMOOTH**
 SMR (standardized morbidity or mortality ratio), **DESCRIBE H**
 Somers' D, **PAIRSetc C, D3, ETCETERA G**
 Space-time clustering, Knox test, **DESCRIBE H**
 Spearman correlation coefficient (ρ), **ETCETERA G, PAIRSetc C, D3**
 Spearman correlation coefficient, partial, **ETCETERA F4**
 Spearman ρ between ranks and values of numbers, **DESCRIBE D**
 Spearman ρ , partial and multiple, **ETCETERA F4**
 Spearman-Kärber analysis, **DESCRIBE B**
 Specificity of a measure or test, **DESCRIBE L1 to L5**
 Specificity, chance-corrected, **DESCRIBE L1, L2**
 St Laurent's gold-standard correlation coefficient, **PAIRSetc D1, D2**
 Standard deviation, confidence interval for, **WHATIS C.I.**
 Standard error of estimate, **ETCETERA J**
 Standard error of measurement, **PAIRSetc D1, D2, I2**
 Standard normal cumulative distribution function, **WHATIS P-value***
 Standard populations, world, European and African, **DESCRIBE G**
 Standardization, direct, **DESCRIBE G**
 Standardization, indirect, **DESCRIBE H**
 Standardized mean difference between means, **COMPARE2 H2**
 Standardized mean difference between means, based on 2x2 table, **PAIRSETC A**
 Standardized morbidity or mortality ratio, **DESCRIBE H**
 Standardized odds ratios, **COMPARE2 C**
 Standardization of table, **ETCETERA G**
 Stratified sample, for estimation of prevalence, **DESCRIBE J3**
 Stratified sample, required size, **DESCRIBE K**
 Strickland-Lu test for difference between changes, **COMPARE2 F2**
 Strickland-Lu test, sample sizes for, **COMPARE2 S11**
 Stuart-Maxwell test for marginal heterogeneity, **PAIRSetc B, C**
 Summary ROC curve, **DESCRIBE L3**
 Super-superiority, sample size for test, **COMPARE2 S1***
 Super-superiority, test for, **COMPARE2 A**
 Superiority test for two means, sample size for, **COMPARE2 S7***
 Survival curve, **DESCRIBE F**
 Standardization of table, **ETCETERA G**
 Survival curve, relative to expectation, **LIFETAB**
 Survival curves, comparison of, **COMPARE2 H3**
 Survival periods, calculation of, **WHATIS timespan***
 Survival time, **DESCRIBE F**

Survival time, effects of covariates on, **SURVIVAL**
 Survival time, mean and median, **DESCRIBE F, COMPARE2 H3**
 Survival times, comparison of, **COMPARE2 H3**
 Survival times, comparison of, sample sizes for, **COMPARE2 S10***
 Survival times, paired, comparison of, **PAIRSetc D4**
 Symmetry test, for off-diagonal symmetry, **PAIRSetc B**
 Symmetry of distribution, **DESCRIBE D2 D3 D4**
 Synergism, appraisal of, **ETCETERA E, ETCETERA H**

T

t , value corresponding to given P , or vice versa, **WHATIS P-value***
 Table standardization, **ETCETERA G**
 Tail of distribution, difference in, **COMPARE2 F2**
 Test of variance, **DESCRIBE D3**
 Test for correlation when data are missing, **PAIRSETC D1**
 Tetrachoric correlation coefficients, **PAIRSetc A**
 Tetrachoric correlation coefficients, between items in scale, **ETCETERA D**
 Theil's uncertainty coefficient U , **COMPARE2 F1, ETCETER G**
Theta, COMPARE2 F2, G
 Three-way table, **ETCETERA I**
 Time intervals, **WHATIS timespan***
 Time-to-event data, **DESCRIBE F, COMPARE2 H3**
 Tjur's coefficient of discrimination, **LOGISTIC**
 Tolerance bounds, **DESCRIBE D2, D3, D4**
 Tolerance interval, **DESCRIBE D2, D3, D4**
 Top-down coefficient of concordance, **PAIRSetc G3**
 Trend, **DESCRIBE D**
 Trend, Cochran-Armitage test, **COMPARE2 F2**
 Trend (dose-response relationship) **COMPARE2 F2, G**
 Trend of odds ratios, **COMPARE2 A, C, F2, G**
 Trend of rate ratios, **COMPARE2 D**
 Trend of rates or proportions, **DESCRIBE B**
 Trend of risk ratios, **COMPARE2 B**
 Trend of three or more samples, Cuzick test, **MANNWHIT**
 Trend of three or more samples, **ETCETERA N**
 Trend, Bartholomew's test, **DESCRIBE B**
 Trend, Cox-Stuart test, **DESCRIBE D**
 Trend, Jonckheere-Terpstra test, **ETCETERA N**
 Trend, Mann-Kendall test, **DESCRIBE D**
 Trend, Mantel trend test, **DESCRIBE B**
 Trend, Page's test, **PAIRSetc F, I1**
 Trial, matched controls, **PAIRSetc A, C, D, E, H, J, L, LOGISTIC**
 Trial, unmatched controls, **COMPARE2 B, D, F, H, LOGISTIC, POISSON**
 Trimmed mean, **DESCRIBE D**
 "True" correlation coefficient, **PAIRSETC D1**
 True skill statistic, **PAIRSetc A**
 t -test, **COMPARE2 H2**
 t -test, power, **COMPARE2 P4**
 Tukey's HSD test, **ETCETERA N**
 Tukey's multiple-test procedure **ETCETERA F2**
 Two-way analysis of variance by ranks, Quade's, **PAIRSetc I1**

U

Umbrella test, **ETCETERA N**
 Uncertainty coefficient, **COMPARE2 F1, ETCETERA G**
 Unweighted means procedure, **ETCETERA N**
 Up-and-down runs test for randomness, **DESCRIBE D**
 Upton continuity correction, **COMPARE2 A,B,C**

V

Validity study, using "gold standard", **DESCRIBE L1, PAIRSetc D1 to D3**
 Van der Waerden test, **ETCETERA N**
 Van Elteren procedure, **COMPARE2 H1**

Variance inflation factor, in cluster sample, **DESCRIBE J**, **COMPARE2 E**
Variance ratio, confidence interval for, **COMPARE2 H2**
Variance, confidence interval for, **WHATIS C.I.***
Variances, comparison of, **COMPARE2 H2**, **ETCETERA N**, **PAIRSetc I1**
Variance, test of, **DESCRIBE D3**
Variance-to-mean ratio, **DESCRIBE D3**
Variances, heterogeneity tests, **ETCETERA N**
Viechtbauer's C.I.s for standardized mean, **COMPARE2 H2, J**
VYPPL (valued potential years of productivity lost, **DESCRIBE F**
VYPLL (valued potential life-years lost, **DESCRIBE F**

W

Wald's sequential probability ratio test, **DESCRIBE N**
Walter test for numerical data, **PAIRSetc H, L**
Walter test for binary data, **PAIRSetc E, J**
Weighted κ , for multiple raters, **PAIRSetc G2**
Weighted mean difference between means, **COMPARE2 H2**
Welch test, **COMPARE2 H2**
Wilcoxon rank-sum test, **COMPARE2 F2, G, H1**
Wilcoxon signed-rank test of symmetry, **DESCRIBE D**
Wilcoxon signed-rank test, **PAIRSetc C, D3**
Within-subject coefficient of variation, **PAIRSetc D1**
Youden's index, C.I. for difference, **DESCRIBE L**
Yates continuity correction, **COMPARE2 A, B, C**
Years of life lost (YLL), **DESCRIBE F**
YLL (years of life lost), **DESCRIBE F**
Youden's index, **DESCRIBE L1, L2, L3, L4, L5**, **PAIRSetc A**
Yule's Q , **COMPARE2 A, B, C**, **PAIRSetc A**

Z

Z, value corresponding to given P , or vice versa, **WHATIS P-value***

* Use the horizontal menu at the top of the program's window.
